

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	30	60/616.cior.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2008/08/14 15:47
L2	30	L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2008/08/14 15:47
L3	1	237/213.cior.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2008/08/14 15:48
L4	1	L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2008/08/14 15:48
L5	60	60/645.cior.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2008/08/14 15:48
L6	60	L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2008/08/14 15:48
L7	748	thermoelectric AND exhaust gas	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2008/08/14 15:48
L8	3	L7 and heat exchange unit and cooling unit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2008/08/14 15:48
L9	3	L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2008/08/14 15:48
L10	19	L7 and rigidity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2008/08/14 15:48

L11	19	L10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2008/08/14 15:48
L12	3	(thermoelectric near10 (rigid\$5 or stiffness or tightness)) and (heat exchange near10 (rigid\$5 or stiffness or tightness)) and (cooling near10 (rigid \$5 or stiffness or tightness))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2008/08/14 15:48
L13	3	L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2008/08/14 15:48
L14	576	thermoelectric near10 (compar\$4 or higher or lower or ("with respect to")) near10 (heat exchanger or cooling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2008/08/14 15:48
L15	576	L14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2008/08/14 15:48
L16	62	L14 and rigid\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2008/08/14 15:48
L17	62	L16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2008/08/14 15:48
L18	2	thermoelectric near10 (compar\$4 or higher or lower or ("with respect to")) near10 (heat exchanger or cooling) near10 (rigidity or stiffness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2008/08/14 15:48
L19	2	L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2008/08/14 15:48

L20	33	thermoelectric near5 (rigidity or stiffness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2008/08/14 15:48
L21	33	L20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	ADJ	OFF	2008/08/14 15:48

8/14/2008 3:49:15 PM

C:\Documents and Settings\jball\My Documents\EAST\Workspaces\10540975.wsp